8.	Teakwood almirahs glass doors with five shelves the top shelf to be enclosed with separate wooden doors within the glass doors 6'9" x 3'3" x 1'4"	3
9.	Tripod wash hand basin stand. (Teakwood)	3
10.	Book Shelf	3
11.	Medicine rack with four shelves 4½' x 1½' x 5'	3
12.	Towel stand (teakwood)	3
13.	Teakwood office boxes 2½' x 1½' x 1¼'	6
14.	Touring boxes with partitions 21" x 14" x 11" detailed specification on application	3
15	Sign board boxes with partitions 21" x 14" x 11" detailed specification on application	3

R. W. SIMPSON, MAJOR,
Superintendent.

GOVERNMENT OF MYSORE, ELECTRICAL DEPARTMENT.

Notice No. S. 4337—C. P. S. of 14th July 1923.

1. Notice is hereby given that sealed tenders will be received by the undersigned up to 8th August 1923, 12 noon, for the supply of the undermentioned articles for the use of the Electrical Department, for the period ending 31st December 1923.

2. An approximate estimate of the quantities required is given against each item in the list which is not guaranteed. The quantities may be increased or diminished by 25 per cent.

3. Tenders should be submitted on their own forms accompanied by a list in the form given below showing the rates at which the different items specified in the list will be supplied. Only the very best quality materials are to be tendered for. Materials should be the the very best either Indian, British or American manufacture.

4. Each tender must be accompanied by a deposit of Rs. 500-0-0 in currency notes or Government Promisory Notes as earnest money, and be superscribed "*tenders for the supply of maintenance materials required for the use of the Electrical Department for the period ending 31st December 1923,*" in default of which, tenders will be rejected. The earnest money should be sent in a separate sealed cover.

5. The final acceptance of the tenders will rest with the Chief Electrical Engineer, who does not bind himself to accept the lowest or any tender or assign any reason whatever for the rejection of any tender. The Chief Electrical Engineer reserves the right of awarding any part or portion of the supply to any tenderer.

6. After tenders are opened, no change of rates, under any circumstances will be allowed. They will be opened in public at 12-30 P.M. on the 8th August 1923.

7. Within four days of the acceptance of the tender, the successful competitors will be required to execute the contract bond, if necessary, in default of which, their tenders will be considered as cancelled and their earnest money forfeited.

8. The names of the successful competitors whose tenders have been accepted will be posted on the NOTICE BOARD in the Chief Electrical Engineer's Office in due course, noting therein the articles awarded against each. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

9. On acceptance of any of the tenders, the earnest money on rejected tenders will be returned. The earnest money of the successful tenderers will be returned when the whole supply is completed satisfactorily.

10. All the materials ordered should be delivered completely within 30 days from the date of receipt of our definite order, failing which, the order will be cancelled and the earnest money forfeited, and the contractor's name will be removed from the list of suppliers to this Department.

11. The rate tendered for each item shall include, cost of delivery at the C. P. S. Stores of the Electrical Department, Bangalore City, or F. O. R. Bangalore City, and shall be binding on the supplier from the date of acceptance to the date of completing the supply. No charge will be allowed for packing or carting.

12. Materials supplied found not to be up to the standard in quality or to other causes will be rejected and the supplier shall remove and shall guarantee to replace same with fresh materials then and there. All charges incurred on the rejected materials will be debited to the supplier.

13. Weights, quantities and quality of material supplied as sealed and acknowledged by the receiving officer of the department on the supplier's invoices or to be accepted as final and no representations by the supplier of his weights, etc., being the correct ones, will be considered.

14. Materials supplied different from that specified will be paid for, if accepted, on the basis of the market rate of the articles on the date of supply.

15. Any further information regarding the supply of the following materials may be had on application to the undersigned.

Serial No.	Description of articles	Unit	Quantity
	ELECTRICAL MATERIALS		
1	Bends full for ⅝″ screwed conduits, coated with Japan black, etc.	Nos.	12
2	Bends knee for ⅝″ ordinary conduits, coated with Japan black, etc.	,,	12
3	Porcelain bushings ⅝″ dia, suitable for cast iron cut-out boxes (send 2 or 3 sizes as samples).	,,	2,000
4	Batteries or cells dry inert No. 55 for telephones, square type.	,,	48
5	Batteries Simeon's dry cells Nos. 56.	,,	24
6	Bulbs, best English or American make only metal filament, Bayonet cap, 110 or 115 volts, peer shape, clear glass, 10 watts.	,,	400
7	Do 20 watts ..	,,	2,550
8	Do 30 ,, ..	,,	100
9	Do 50 ,, ..	,,	200
10	Do 220 volts, 20 ,, ..	,,	500
11	Do do 30 ,, ..	,,	25
12	Do do 40 ,, ..	,,	525
13	Do do 60 ,, ..	,,	500
14	Do 115 volts, 500 watt, ½ watt type, M. F., with Moghul screw base.	,,	150
15	Ceiling roses porcelain 5 amps. ..	,,	54
16	Conduits split "Simplex" ⅝″ ..	ft.	300
17	Cut-outs Bow porcelain 5 amps ..	Nos.	44
18	Conduits braized ⅝″ Simplex" ..	ft.	50
	Do ¾″ ,, ..	,,	3[illegible]
19	Fish tape	,,	100
20	Fuse links 200 amps. capacity ..	Nos.	200
21	Do 100 do .	,,	200
22	Fuse wire, lead 1 amp. capacity ..	lbs.	7
23	Do 3 amps. ..	lbs.	35
24	Do 5 ,, ..	,,	20
25	Do 6 ,, ..	,,	20
26	Do 10 ,, ..	,,	50
27	Do 15 ,, ..	,,	5[illegible]
28	Do 20 ,, ..	,,	50
29	Do 25 ,, ..	,,	45
30	Do 30 ,, ..	,,	15
31	Do 80 ,, ..	,,	20
22	Do 100 ,, ..	,,	20
33	Flexible cord, cotton covered, twin, 35/40 S. W. G. good for 650 volts.	Yds.	3 coils of 50 yds. each.
34	Do No. 16 S. W. G. ,, ..	,,	6 do
35	Do silk, green and yellow braided, rubber covered No. 18 S. W. G.	Rolls of 250′	18 rolls
36	Do do No. 22 S. W. G. ..	,,	4
37	Plugs wall Porcelain 5 amps. ..	Nos.	12
38	Pots porous for No. 2 Leclanche cells.	,,	84
39	Porcelain tubes, ⅝″ inside dia., in two lengths.	ft.	30
40	Do ¾″ do. ..	,,	20
41	Do ¼″ in 4″ lengths ..	Nos.	100
42	Rods zinc for No. 2, Leclanche cells.	,,	84
43	Glass jars for ,, ..	,,	50
44	Sockets B. C., ⅝″ suitable for wall brackets.	,,	24
45	Switches tumbler, polished metal cover, amps. 5.	,,	72
46	Salamoniac tabloids in big lumps	lbs.	284
47	Staples "Blake" insulated ½″ ..	Nos.	60
48	Varnished cambric, single conductor insulated and braided wire, suitable for operation on 2,300 volts A. C. No 8 S. W. G.	Coils of 100 yds.	2 coils
	Do No. 10 S. W. G. ..	,,	2 ,,
49	Varnished cambric or Vulcanized rubber insulated and braided wire, 2,500 megohm grade, suitable for 600 volts A. C., No. 5 S. W. G. single conductor.	,,	3 Coils.
50	Do suitable for 2,300 volts.	,,	3 ,,
51	Do suitable for 600 volts, No. 8 S. W. G.	,,	3 ,,
52	Varnished cambric or Vulcanized rubber insulated and braided wire, 2,500 megohm grade, suitable for 600 volts. A. C., No. 10, S.W.G. ..	Coils of 100 Yds.	5
53	Do 12, do ..	,,	6
54	Do 14, do ..	,,	26
55	Do 16, do ..	,,	36
56	Do 19, do ..	,,	2
57	Do 7/14, do ..	,,	3
58	Do 7/16, S.W.G. (7/·064) ·0221 sq. in.	,,	3
59	Do 7/18, S.W.G. (·0125 sq. in.)	,,	3
60	Do 7/20, S.W.G. (7/·036) ·007 sq. in	,,	10
61	Do (7/22, S W.G. (7/·029) ·0032 sq. in.	,,	16
62	Wall brackets brass 9″ for 5/8″ holders.	Nos.	12
63	Wire twin conductor 3/22 S.W.G lead covered as used in Henley's wiring system for 650 volts.	Ft.	500
64	Do 7/22, S W.G. lead covered as used in Henley's wiring system for 650 volts.	,,	500
	HARDWARE.		
66	Bends full galvanised for ⅝″ pipe	Nos.	6
67	Do 1″ ,,	,,	36
68	Do 2″ ,,	,,	6
69	Do 1½″ ,,	,,	26
70	Do 4″ ,,	,,	12
71	Bends full Wrought Iron for ¾″ pipe	,,	12
72	Blades Hacksaw 12″ "Summit" ..	,,	11 Gross
73	Bolts with nuts, Galvanised, full threaded ¾″ x ¼″.	,,	250
74	Do 1″ x ¼″ ..	,,	200
75	Do 1½″ x ¼″ ..	,,	144
76	Do 2″ x ¼″ ..	,,	72
77	Do 2″ x ½″ ..	,,	150
78	Do 3″ x ¼″ ..	,,	72
79	Bolts with nuts Iron 1⅛″ x ⅛″ ..	,,	200
80	Do 1⅛″ x ⅜″ ..	,,	100
81	Do 1½″ x ½″ ..	,,	2,000
82	Do 1¾″ x ⅜″ ..	,,	100
83	Do 2″ x ⅜″ ..	,,	150
84	Do 2″ x ½″ ..	,,	300
85	Do 2½″ x ⅜″ ..	,,	200
86	Do 2½″ x ⅝″ ..	,,	50
87	Do 3″ x ⅜″ ..	,,	100
88	Do 3″ x ½″ ..	,,	50
89	Do 3½″ x ½″ ..	,,	50
90	Do 5″ x ½″ ..	,,	300
91	Do 5½″ x ½″ ..	,,	150
92	Do 5½″ x ⅜″ ..	,,	50
93	Do 5″ x ¾″ ..	,,	250
94	Do 7″ x ¼″ ..	,,	150
95	Do 2″ x ⅝″ ..	,,	250
96	Do 3½″ x ⅜″ ..	,,	100
97	Do 6½″ x ¾″ ..	,,	100
98	Do 7½″ x ⅜″ ..	,,	50
99	Do 10½″ x ¾″ ..	,,	50
100	Do 2″ x ½″ (H.H.)	,,	500
101	Do 1½″ x ½″ (fully threaded, H.H.)	,,	5,000
102	Bits twist drill, Morses, round and tapered shank, best Sheffield steel ⅛″ dia.	,,	3
103	Do 3/16″ ..	,,	3
104	Do ¼″ ..	,,	3
105	Do 5/16″ ..	,,	3
106	Do ⅜″ ..	,,	3
107	Do 7/16″ ..	,,	6
108	Do ½″ ..	,,	6
109	Do 9/16″ ..	,,	3
110	Do ⅝″ ..	,,	6
111	Do 11/16″ ..	,,	3
112	Do ¾″ ..	,,	3
113	Do 15/16″ ..	,,	3
114	Do 1″ ..	,,	3
115	Do round shank 3/32″ ..	,,	6
116	Do do 3/16″ ..	,,	6
117	Couplings Wrought Iron for ¾″ pipe.	,,	100
118	Copper sheets 1/16″ x 4′ x 3′ ..	,,	2
119	Do ⅛″ x 4′ x 3′ ..	,,	2

Serial No.	Description of articles	Unit	Quantity
120	Copper tape 1" x ⅛" ..	Ft.	1,000
121	Cast iron scrap ..	Tons.	3
122	Hasps and staples Iron 2" with bolts and screws, complete.	Sets	24
123	Do 2½" ..	,,	36
124	Do 3" ..	,,	12
125	Do 5" with bolts of 1½" long.	,,	36
126	Do 6" ..	,,	6
127	Hinges Iron with 6 wheels 2" x 1⅛"	Pairs	50
128	Do 3⅛" x 1⅝"	,,	24
129	Do 3" x 1⅞"	,,	36
130	Do 6" x 2"	,,	24
131	Hooks and eyes, iron, 9" ..	Nos.	50
132	Do 6" ..	,,	100
133	Do 2" ..	,,	100
134	Iron flat 1½" x ½" x 16' ..	Lengths	100
135	Do 1½" x ½" x 16' ..	,,	150
136	Do 2" x ½" x 16' ..	,,	200
137	Do 2½" x ½" x 16' ..	,,	100
138	Do 1½" x ⅜" x 16' ..	,,	20
139	Do 2" x ⅜" in standard lengths.	,,	30
140	Iron flat 2½" x ⅜" in standard lenghths.	,,	30
141	Iron flat 2½" x ½" in standard lengths.	,,	100
142	Iron round ½" in standard lengths..	,,	3
143	Do ⅝" do ..	,,	5
144	Do ¾" do ..	,,	50
145	Do ⅞" do ..	,,	25
146	Iron, round, ¾" in standard lengths	,,	20
147	Do ⅞" do ..	,,	5
148	Do 1" do ..	,,	5
149	Iron, angle in lenghts of 18' to 25' 2½" x ½"	,,	100
150	2½" x ⅜" ..	,,	150
151	2½" x ½" ..	,,	50
152	Nails, iron, country, 6" x ½" square	Nos.	100
153	Nails, copper, 1½" ..	,,	150
154	Do 2" ..	,,	300
155	Nails, wire, French 1" ..	lbs.	5
156	Do 1½" ..	,,	5
157	Do 2" ..	,,	10
158	Do 2½" ..	,,	10
159	Do 3" ..	,,	5
160	Do 4" ..	,,	5
161	Do 5" ..	,,	5
162	Nails, panel pin, ½" x 16 ..	,,	2
163	Do ¾" x 16 ..	,,	2
164	Do 1" x 16 ..	,,	2
165	Nails, tack, ½" ..	,,	3
166	Do ¾" ..	,,	3
167	Nuts, iron, H. H. ¼" .	Nos.	100
168	Do ⅜" ..	,,	200
169	Do ½" ..	,,	250
170	Pipe, galvanized, ⅛" inside dia. in standard lengths.	Ft.	50
171	Do ¼" ..	,,	50
172	Do ⅜" .	,,	150
173	Do 1" ..	,,	150
174	Do 2" ..	,,	500
175	Do 4" ..	,,	50
176	Pipe, wrought iron ⅛" inside dia. in standard lengths	,,	100
177	Do ¼" ..	,,	700
178	Pipe, brass, ⅛" inside dia. ..	,,	25
179	Do 1" do ..	,,	20
180	Pots, iron, heavy pattern ..	Nos.	12
181	Panes, glass, 12" x 10" x ⅛" ..	,,	12
182	Do 12" x 12" x ⅛" —	,,	12
183	Do 15" x 14" x ⅛" ..	,,	12
184	Do 16" x 20" x ⅛" ..	,,	6
185	Do 18" x 15" x ⅛" ..	,,	12
186	Do 8½" x 12" x ⅛" ..	,,	12
187	Do 10" x 12½" x ⅛" ..	,,	12
188	Do 10⅛" x 14" x ⅛" ..	,,	12
189	Do 12½" x 14" x ⅛" ..	,,	12
190	Do 17½" x 18" x ⅛" ..	,,	2
191	Rivets, copper, ½" x ⅛" with washers	Gross.	2
192	Do ⅜" x 3/16" do ..	,,	2
193	Do ½" x 3/16" do ..	,,	2
194	Do 1" x ¼" do ..	,,	2
195	Rods, brass, ¼" in one length ..	Ft.	12
196	Do ⅜" do ..	,,	12
197	Do ½" do ..	,,	12
198	Do ¾" do ..	,,	12
199	Do 1" do ..	,,	12
200	Screws, counter sink heads, F. H., Nettlefolds patent, ½" Nos. 2 to 8	Gross.	10
201	Do ⅝" ,, 4 to 8	,,	3
202	Do ¾" ,, 4 to 10	,,	20
203	Do 1" ,, 6 to 12	,,	15
204	Do 1¼" ,, 6 to 14	,,	10
205	Do 1½" ,, 8 to 10	,,	15
206	Do 2" ,, 10, 12, 14	,,	5
207	Do 2½" ,, 12 ..	,,	2
208	Screws, iron round head, 2½" No. 10	,,	2
209	Do 1½" No. 6	,,	5
210	Do 1½" No. 8	,,	5
211	Screws, brass Nettlefolds, ½" for wood F. H. No. 2.	,,	2
212	Screws brass Nettlefolds, ⅝" F. H. No. 4.	,,	2
213	Screws, brass Nettlefolds, ¾" F. H. No. 4.	,,	2
214	Screws, brass Nettlefolds, 1" R. H. No. 6.	,,	2
215	Screws, coach, black, 2" x ⅜" ..	Nos.	50
216	Do 2½" x ⅜" ..	Gross.	2
217	Do 2" x ½" ..	Nos.	50
218	Do 2½" x ½" ..	,,	50
219	Do 3" x ½" —	,,	50
220	Sheet iron, 1/16" x 4' x 3' ..	Sheets.	6
221	Do ⅛" x 4' x 3' ..	,,	2
222	Steel, Sheffield make, "A" quality, Tabdo Brand for Smith tools ⅝" dia., Hexagonal in standard lengths.	Lengths.	2
223	Do ¾" dia. do	,,	2
224	Do ⅞" dia. do	,,	2
225	Steel, Sheffield make, "A" quality, Bessumer for jumpers, 1" dia. x 8'	,,	3
226	Do 1½" ,, x 8'	,,	3
227	Steel, tool high speed made by Jones and Glover, Sheffield, ½" square (length of 16' each).	,,	2
228	Do ¾" do ..	,,	
229	Washers, iron, ⅜" ..	Nos.	100
230	Do ½" ..	,,	100
231	Do ⅝" ..	,,	100
232	Do ¾" ..	,,	100
233	Wire, galvanized, No. 14 B. W. G.	lbs.	1,000
234	Do 16 do ..	Cwts.	6
235	Do 22 do ..	,,	1
236	Wire guy galvanized 3 strand No. 3/10 B. W. G.	Ft.	1,000

TOOLS AND PLANT.

Serial No.	Description of articles	Unit	Quantity
237	Auger, 1", Keen cutter ..	Nos.	6
238	Brass adjusting level with revolving tube protector, as per page 100 of Messrs. T. E. Thomson's catalogue.	,,	1
239	Chisels carpenter, ¼". Fish mark. Sheffield make.	,,	3
240	Do ⅜" do ..	,,	3
241	Do ½" do ..	,,	3
242	Do 5/8" do ..	,,	3
243	Do 3/4" do ..	,,	6
244	Do 1" do ..	,,	6
245	Do 1½" do ..	,,	3
246	Do 2" do ..	,,	3
247	Crucibles Salamander No. 2 ..	,,	3
248	Do No. 3 ..	,,	3
249	Elbows galvanised 1" ..	,,	12
250	Do 1½" ..	,,	6
251	Drill breast tall bearing 17" long No. 12 as per page 79 of Messrs. T. E. Thomson & Co's catalogue.	,,	2
252	Driver screw, Blue brand, "Keen Cutter" No 615 2" as per page 124 of Messrs, Thomson & Co's catalogue	,,	12
253	Do 3" do ..	,,	6
254	Do 4" do ..	,,	6
255	Driver screw, Champion, 3" ..	,,	9
256	Do 12" ..	,,	3
257	Files cast steel, round, smooth cut 4" Bow and Arrow mark.	,,	6
258	Do 6" ..	,,	6
259	Do square, smooth cut 6" ..	,,	6
260	Do flat, do 6" ..	,,	6
261	Do triangular for saw 4" ..	,,	80
262	Do do rough 4" ..	,,	6

Serial No.	Description of articles	Unit	Quantity
263	Files flat rough 16", Bow & Arrow mark.	Nos.	12
264	Do 12" do ..	,,	12
265	Do 8" do ..	,,	12
266	Do 6" do ..	,,	12
267	Do 4" do ..	,,	6
268	Files flat smooth 16" do ..	,,	24
269	Do 12" do ..	,,	12
270	Do 8" do ..	,,	6
271	Do 4" do ..	,,	4
272	Files half round rough 16", flat, 16".	,,	24
273	Files half round rough 12", flat, Bow and Arrow mark.	,,	12
274	Do 8" ..	,,	6
275	Do 6" ..	,,	6
276	Do 4" ..	,,	6
277	Files half round smooth 16", flat ..	,,	12
278	Do 12" ..	,,	6
279	Do 8" ..	,,	2
280	Do 6" ..	,,	2
281	Do 4" ..	,,	2
282	Files round rough 16", Bow and and arrow mark.	,,	6
283	Do 12" do ..	,,	6
284	Files square rough 16" do ..	,,	6
285	Do 12" do ..	,,	6
286	Do 8" do ..	,,	3
287	Do 6" do ..	,,	3
288	Do 4" do ..	,,	3
289	Files square smooth 12" do ..	,,	3
290	Do 8" do ..	,,	3
291	Frame Hacksaw adjustable, best English.	,,	3
292	Handles brass flush No. 10154,3" as per page 180 of Messrs. T. E. Thomson and Co's catalogue.	,,	6
293	Hammers (Sledge) English make, Hex. Head 2 lbs.	,,	6
294	Do 1½" lbs. ..	,,	6
295	Hooks bill double edged No. 173, length of blade 11" as per page 82 of Messrs. T. E Thomson & Co's catalogue.	,,	6
296	Knife skinning "Rodgers" (When quoting please quote for 2 or 3 sizes).	,,	18
297	Mamtics, Swan neck, English make.	,,	72
298	Mortar pans 12" dia., 1/8" thick, iron.	,,	12
299	Do 16" do ..	,,	50
300	Pliers side cutting 6", English ..	,,	18
301	Do 8" ,, ..	,,	6
302	Pliers Gas 8" ,, ..	,,	3
303	Do 7" ,,	,,	4
304	Pliers cutting insulated handles 7" ..	,,	4
305	Do 6" ..	,,	4
306	Spanner Monkey (Stilson's make) 6" with wooden handles.	,,	3
307	Do 8" ..	,,	3
308	B. S. A. Spanners, double end ¼" x 5/16" for Hex. Head rivets.	,,	4
309	Do ½" x 9/16" ..	,,	4
310	Do ½" x 3/ 8" ..	,,	4
311	Do 3/8" x 7/16" ..	,,	4
312	Saw (Tenon) cast steel 12" ..	,,	2
313	Do 16" ..	,,	2
314	Saw (hand) 12" cast steel ..	,,	2
315	,, 18" ,, ..	,,	4
316	,, 24" ,, ..	,,	4
317	Belt fasteners Jackson's with double concave & convex washers for 2½" to 4" belt as per page 11 of Messrs. T. E Thomson and Co's catalogue.	,,	180
318	Do single concave and convex washers.	,,	144
	OILS, PAINTS, DISINFECTANTS, VARNISHES, ETC.,		
319	Acid Muriatic, pure ..	lbs.	10
320	Acid sulphuric, pure ..	Gins.	11
321	Brushes sash tool round ¼" dia., strong bound.	Nos.	12
322	Brushes sash tool round 1" ..	Nos.	12
323	Do 1½" ..	,,	6
324	Do 2" ..	,,	6
325	Brushes varnishing flat ½" tin bound.	,,	36
326	Do ¾" ,, ..	,,	48
327	Do 1" ,, ..	,,	36
328	Do 1½" ,, ..	,,	36
329	Do 2" ,, ..	,,	36
330	Brushes sweeping, smooth, with handle.	,,	48
331	Brushes feather (English) washable with 24" handles.	,,	18
332	Brushes tar, long ..	,,	12
333	Enamel black 1 lb. tins ..	Tins.	18
334	,, red do ..	,,	12
335	Enamel white, 1 lb. tins ..	Tins	24
336	Do. green ,, ..	,,	24
337	Hycol	Gins.	10
338	Japan black, "S" mark ..	,,	26
339	Japan white	,,	3
340	Lacquer blue	lbs.	3
341	Do green ..	,,	3
342	Do yellow	,,	3
343	Petrol B.O.C. ..	Gins.	1,674
344	Paint lacquer varnish Orange ..	lbs.	2
345	Do light green ..	,,	2
346	Do violet ..	,,	2
347	Do rose ..	,,	12
348	Paint "Silver grey" ready mixed best English paint. (Please give your rate per gallon.)	Gins.	40
349	Red star spindle oil ..	,,	492
350	Oil Mobil, "A" ..	,,	5
351	Do "B" ..	,,	50
352	Oil wood, best quality ..	,,	2
353	Oil Kerosine 125°, Monkey brand.	,,	436
354	Oil Linseed, double boiled, Howrah make.	,,	50
355	Polish Metal, Globe mark ..	Tins	24
356	Polish French ..	Gins.	5
357	Turpentine, Government No. 1 mark.	,,	56
358	Oil castor ..	,,	10
359	Oil crank case, Gargoyle Oil ..	,,	400
360	Phenyle, Camel brand ..	,,	19
	SUNDRY STORES		
361	Bamboos thin, 16' long ..	Nos.	12
362	Bamboos thick do ..	,,	50
363	Brooms cocoanut ..	,,	736
364	Buckets galvanized, 12" rivetted quality.	,,	12
365	Blow lamp "Vesuvius" for Kerosine Oil, No 651. 1 pint capacity, as per page 48 of Messrs. T. E. Thomson & Co's catalogue.	,,	6
366	Bamboo Baskets, Vellore, oval shape.	,,	336
367	Belting leather Single ply, 1½" English Please send samples).	Ft.	200
368	Do 2" do ..	,,	50
369	Do 2½" do ..	,,	50
370	Do 3" do ..	,,	100
371	Do 4" do ..	,,	150
372	Do 5" do ..	,,	80
373	Do 6" do ..	,,	100
374	Do double ply 5" do ..	,,	50
375	Do do 6" do ..	,,	100
376	Do do 12" do ..	,,	50
377	Cloth Drill 28" wide ..	Yds.	25
378	Cloth emery No. 1 of James Johnson & Sons.	Sheets	644
379	Do 1½ do ..	,,	644
380	Do 2 do ..	,,	144
381	Cheese cloth, thin (Samples to be sent) in pieces of 23 yds. each.	Pieces	50
382	Cloth sylvet, 12" x 12" ..	Nos.	14
383	Coal, best Bengal, samples to be sent	Tons.	7
384	Camel hair, 4" belting, best English, samples to be sent.	R. ft.	20

Serial No.	Description of articles	Unit	Quantity
385	Chubbs Patent brass Detector pad locks with 2 rustless brass keys size 2" as per page 206 of Messrs. T. E. Thomson & Co's catalogue.	Nos.	2
386	Do 2½" do ..	,,	2
387	Cotton rope, ¼" ..	lbs.	15
388	Do ½" ..	,,	10
389	Do ⅝" ..	ft.	250
390	Do ¾" ..	,,	250
391	Cotton waste, 1st quality ..	Cwts.	30
392	Chimneys for Dietz Junior lanterns Gold blast.	Nos.	36
393	Compound graphite ..	lbs.	5
394	Cord masons ..	,,	160
395	Charcoal, Casirana, in bags of 30 to 35 lbs.	,,	20 bags.
396	Cement, Ganapathy Brand or Katni brand.	Cwts.	10
397	Coke, best English foundry, samples to be sent.	Tons.	5
398	Glue carpenters ..	lbs.	5
399	Burmoline or Yellow compound Grease.	,,	764
400	Genuine Yale padlocks in bronze case with 2 nickle keys No. 833, 1½" as per page 206 of Messrs. T. E. Thomson & Co's catalogue.	Nos.	6
401	Do No. 853 2" do ..	,,	6
402	Handles for pickaxe, strong wood	,,	24
403	Do mamties ..	,,	24
404	Do sledge hammers 24" ..	,,	24
405	Lead pig, best quality, samples to be sent.	Cwts.	4
406	Lead silver, best quality ..	,,	6
407	Locks brass Almirah, 3" with duplicate keys, Aligarh make.	Nos.	12
408	Do for drawers, 3" do ..	,,	12
409	Do do 2½" do ..	,,	6
410	Lock galvanized, 2", 4 levers with duplicate keys, Aligarh.	,,	12
411	Do 2½" ..	,,	6
412	Do 3" do ..	,,	6
413	Lamps Dietz Blizzard No. 2, with 1" Burner.	,,	6
414	Lamps Dietz "Black" No. 30 as per page 125 of Messrs. Thomson & Co's catalogue.	,,	6
415	Lamp black ..	lbs.	15
416	Leather Hide, best English quality, ¼" thick, samples to be sent.	Skins	6
417	Locks brass, English make, best quality, 2" with 10 levers with 3 keys. (Please send sample).	Nos.	6
418	Locks Pad Miller, 1½" No. 16. ..	,,	3
419	Do 2" No. 20. ..	,,	3
420	Locks Pad Aligarh make, galvanised, 2" with 6 leavers and duplicate keys.	,,	6
421	Mica sheets, clean, 6" x 6" x 1" ..	,,	6
422	Matches safety, 3 stars, Swedish make.	Gross	7
423	Marline, tarred, thick variety ..	lbs.	10
424	Paper Sand "Davis and Sons" rough.	Dozs.	42
425	Do smooth ..	,,	42
426	Do medium ..	,,	42
427	Rope Manilla ¼" ..	ft.	1500
428	Do ½" ..	,,	500
429	Do ⅝" ..	,,	1000
430	Do ¾" ..	,,	1000
431	Do 1" ..	,,	1000
432	Do 1½" ..	,,	500
433	Rope scaffolding (Thick variety) ..	,,	1500
434	Rubber for patching tubes ..	Sq. ft.	3
435	Sheet asbestos ⅛" thick ..	lbs	60
436	Soap Mysore washing 8 oz. ..	bars	282
437	Spirit methylated quarto bottles ..	Bottles	72
438	Tape rubber ½" wide (Please state how many yards each roll contains).	Rolls	50
239	Do do 1" wide ..	,,	25
440	Twine gunny ..	lbs.	10
441	Tar coal English, (Please state how many cwts. each barrel contains).	Barrels	32
442	Vaseline ..	lbs.	5
443	Varnish Gopal "S" mark ..	Glns	5
444	Varnish insulating ..	,,	2
445	Tin Ingot ..	Cwts.	11
446	Tape Metallic 50' in leather case, 'Chesterman's make'.	Nos	12
447	Alum in large lumps ..	lbs.	500
448	Plumbago ..	,,	56
449	Wax bees ..	,,	10
450	Wicks ½" ..	yds.	10
451	,, 1" ..	,,	2
452	Zinc pure superior quality (please send samples).	Cwts.	6
453	Cord Grip B. C. Lamp holders with Key English manufacture or American.	Nos.	1000

S. G. FORBES,
Chief Electrical Engineer.

CHIEF COMMANDANT'S OFFICE.

Notice dated 16th July 1923.

Sealed Tenders for cutting and uprooting lantana and other thorny shrubs in about 200 acres in the Hesserghatta Grass Farm, Bangalore Taluk, are invited during August and September 1923.

2. Tenders should be addressed to the Chief Commandant Mysore State Troops, and superscribed "Tenders for clearing lantana, etc., in the Hesserghatta Grass Farm."

3. Tenders will be received at the Chief Commandant's Office, Bangalore, till 2 P.M. on Saturday the 28th July 1923 only.

4. Tenders should clearly show the rate per acre at which the land could be cleared of lantana, etc., in the portions to be previously shown by the Farm Assistants.

5. The clearing work will have to be completed within a month of the acceptance of tender.

6. Every tender should be accompanied by a deposit of Rs. 50 in currency notes. If the tender is accepted and the tenderer fails to undertake the contract, he will forfeit the amount but if the tender is not accepted the amount will be returned to the tenderer.

7. The name of the successful tenderer will be notified in due course on the board at the Chief Commandant's Office and he will be required to deposit Rs. 100 as security and also to execute an agreement for the due fulfilment of the contract.

B. CHAMARAJ URS,
Chief Commandant,
Mysore State Troops.